## **CLAIMS**

What is claimed is:

1	1. An application creation tool, comprising:					
2	a first component, wherein a name of the first component in accordance with a					
3	naming scheme is based on a plurality of attributes for an application which the first					
4	component creates; and					
5	a second component, wherein a name of the second component in accordance with					
6	the naming scheme is based on the plurality of attributes for the application which the					
	second component creates.					
	2. The application creation tool of claim 1, wherein the plurality of attributes					
	comprises at least one of:					
	a programming language;					
	an application type;					
<u>-</u> 5	a server type; and					
6	a service type.					
1	3. The application creation tool of claim 1, wherein the first component is a first					
2	Java class.					

4.

1

The application creation tool of claim 1, wherein the second component is a

2	second Java class.
	√ \
1	5. A system, comprising:
2	a server;
3	a client coupled to the server, wherein the client comprises a server application
4	creation tool, wherein the server application creation tool comprises:
5.	a first component, wherein a name of the first component in accordance with
6	a naming scheme is based on a plurality of attributes for a server application which the first
7	component creates, and
<u> </u>	a second component, wherein a name of the second component in accordance
	with the naming scheme is based the plurality of attributes for the server application which
<b>3</b> } <b>K</b>	the second component creates.
	6. The system of claim 5, wherein the plurality of attributes comprises at least
	one of:
<del>-</del> 3	a programming language;
4	an application type;
5	a server type; and
6	a service type.
1	7. The system of claim 5, wherein the first component is a first Java class.

1	1	8.	The system of claim 5, wherein the second component is a second Java class.
1		9.	A method for creating a server application, comprising the steps of:
2		(a)	issuing a service request for a server application creation tool;
3		(b)	gathering a plurality of attributes for a server application to be created;
4		(c)	creating a name of a component using the gathered attributes using a naming
5	schem	e; and	
6		(d)	loading a component having the created name.
٨	•		
<b>∃</b> // /		10.	The method of claim 9, wherein the plurality of attributes comprises at least
	one of	:	
m M		a prog	ramming language;
4		an app	olication type;
3		a serve	er type; and
		a servi	ice type.
1		11.	The method of claim 9, wherein the component is a Java class.
1		12.	A computer readable medium with program instructions for creating a server
2	applic	ation, th	ne instructions comprising the steps of:
3		(a)	issuing a service request for a server application creation tool;
4		(b)	gathering a plurality of attributes for a server application to be created;

5

•	(c)	creating a name of a component using the gathered attributes using a naming
schem	e; and	
	(d)	loading a component having the created name.
	13.	The medium of claim 12, wherein the plurality of attributes comprises at leas

f:
a programming language;
an application type;
a server type; and

14. The medium of claim 12, wherein the component is a Java class.